

ATC – AL-KO TRAILER CONTROL FOR COMMERCIAL TRAILERS



ATC – AL-KO TRAILER CONTROL

THE ANTI SNAKING SYSTEM FOR COMMERCIAL TRAILERS*

**NEW: for commercial
trailers up to 3,500 kg**



SIMPLY CLEVER

Avoidance manoeuvres or side winds can cause trailers to start swinging. AL-KO Trailer Control actively counteracts these forces. It detects the swinging motion directly at the axle and automatically brakes the trailer gently.

KEEP SAFELY IN THE TRAFFIC LANE

The emergency system reacts automatically when the swaying of the vehicle combination exceeds limit values.



- | Sensors react even to slight lateral accelerations.
- | The trailer immediately brakes automatically. The driver barely notices this correction.
- | Braking automatically puts the trailer back on track, i.e. there is little risk of a rear-end collision due to sudden, sharp braking, and an overtaking manoeuvre is not affected.



The driving behaviour of the trailer is permanently monitored by the ATC. Sensors detect dangerous lateral movements directly on the trailer axle, even before an ESP system for trailers installed in the car is able to sense the pendulum movement. The trailer will immediately – without any action on the part of the driver – brake gently and return to a stable driving condition.



ATC installation in AL-KO chassis

AL-KO chassis	Gross weight min. – max. kg	Unladen weight min. kg	Part no.
	750 – 1,000	500	1 223 022
	1,001 – 1,300	800	1 223 022
	1,301 – 1,500	1,000	1 223 023
	1,501 – 1,800	1,100	1 223 287
	1,801 – 2,000	1,300	1 225 186
	2,000 – 2,500	1,600	695 822
	2,500 – 3,000	2,000	695 825
	3,000 – 3,500	2,500	695 829
	1,300 – 1,600	1,000	1 223 161
	1,601 – 2,000	1,200	1 223 162
	2,001 – 2,500	1,600	1 223 288
	2,501 – 2,800	1,800	1 730 034
	2,800 – 3,500	2,200	695 819

2LINK CONNECTIVITY SYSTEM



NEW: GREATER SAFETY AND COMFORT DURING TRANSPORT

AL-KO 2LINK offers the option to monitor important safety functions on your smartphone while driving. The core element is the 2LINK box. Installed in the drawbar area, it processes the data from the sensors in the body and transmits these to the 2LINK app that you can download free of charge from the Apple App and Google Play stores.



2LINK APP

- | ATC status display
- | TPMS status display
- | Levelling function
- | Service locator
- | Various operating manuals

For more information on 2LINK and on the APP, visit www.alko-tech.com/en/2link-for-trailers



Member of **DEXKO**
GLOBAL

ALOIS KOBER GMBH

Ichenhauser Str. 14

89359 Kötz

Germany

Phone: +49 8221 97-0

info@alko-tech.com

www.alko-tech.com